ELSEVIER

Volume 236, Numbers 1–2, August 1995

Inorganica Chimica Acta

Contents

Articles

^{13}C NMR study of reorientational dynamics in $Ru_3(CO)_9(\mu_3\text{-}CO)(\mu_3\text{-}NPh)$. Relaxation time analysis in the non-motional narrowing regime 1
D. Wang, H. Shen, M.G. Richmond, M. Schwartz (Denton, TX, USA)

Syntheses and crystal structures of molybdenum(0) and palladium(II) complexes of 4-tert-butyl-2-diphenylphosphino-cyclohexanone *N,N*-dimethylhydrazone. 7
S.D. Perera, B.L. Shaw, M. Thornton-Pett (Leeds, UK)

Diruthenium complexes with 5-methyl-7-phenyl-1,8-naphthyridin-2-one as an ambidentate bridging ligand 13
M. Mintert, W.S. Sheldrick (Bochum, Germany)

Synthesis and structures of three edge-sharing bioctahedral compounds of (VI)A metals containing formamidinato ligands 21
F.A. Cotton, D.J. Maloney, J. Su (College Station, TX, USA)

On the 5-thia-(substituted)-1-oxa-4,6-dithia-5-stibocanes. Synthesis and characterization of $O(CH_2CH_2S)_2SbS_2P(OC_2H_5)_2$ and crystal and molecular structure of $(CH_2CH_2S)_2Sb\text{–}SCH_2CH_2OCH_2CH_2S\text{–}Sb(SCH_2CH_2)_2O$, a compound with two different eight-membered ring conformations 31
R. Cea-Olivares, M.-A. Muñoz-Hernández, S. Hernández-Ortega, C. Silvestru (Mexico, D.F., Mexico)

Electron transfer reaction between tris(β-diketonato)ruthenium(II)–(III) complexes 37
J. Tamura, Y. Satsu, D. Fukuhara, K. Shimizu, G.P. Satô (Tokyo, Japan)

Compounds containing linked, multiply-bonded dimetal units
3. Preparation, molecular structure and magnetic properties of a compound containing tetrakis(μ-6-chloro-2-hydroxopyridinato)diosmium(II,III) cations linked axially by pyrazine 43
F.A. Cotton, Y. Kim, D.L. Shulz (College Station, TX, USA)

Pentacoordinated binuclear complexes of cobalt(II) and nickel(II) with 3-imidazoline nitroxides. 49
J. Laugier (Grenoble, France), V. Ovcharenko (Novosibirsk, Russia), P. Rey (Grenoble, France)

Regioisomerism displayed by the 6-chloro-2-oxopyridinate complexes of Ru_2^{4+} and Ru_2^{5+}. 55
F.A. Cotton, Y. Kim, A. Yokochi (College Station, TX, USA)

Synthesis and reactivity of $ReH_7(AsPh_3)_2$. 63
M.L. Loza, R.H. Crabtree (New Haven, CN, USA)

Lanthanide complexes with tetrahydrofuran-2,3,4,5-tetracarboxylic acid: the effect of ligand rigidity on cation size-selectivity 67
J.F. Feil-Jenkins, K.L. Nash (Argonne, IL, USA), R.D. Rogers (DeKalb, IL, USA)

Stability of metal ion complexes of 1,4,7-tris(2-mercaptoethyl)-1,4,7-triazacyclononane (TACN–TM) and molecular structure of $In(C_{12}H_{24}N_3S_3)$ 75
R. Ma (College Station, TX, USA), M.J. Welch (St. Louis, MO, USA), J. Reibenspies, A.E. Martell (College Station, TX, USA)

Hexafluorosilicate coordination to the antitumour copper(II) salicylaldehyde benzoylhydrazone (H_2L) system: single-crystal X-ray structure of $[\{Cu(HL)H_2O\}_2SiF_6]\cdot 2H_2O$ 83
E.W. Ainscough, A.M. Brodie (Palmerston North, New Zealand), J.D. Ranford (Singapore, Singapore), J.M. Waters (Palmerston North, New Zealand)

The synthesis of oxotitanium(IV), oxochromium(IV) and dioxomolybdenum(VI) complexes with 7,16-disubstituted dibenzo- and dipyridotetraazaannulenes 89
D.L. Davies, A.J. Grist (Leicester, UK)

Elsevier Science S.A.

Oxidative addition of O_2, Cl_2, NO, NO^+ and H_2 to $[Ru(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]^+$: X-ray structures of $[Ru(Cl)_2(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]^+$ and $[Ru(NO)(\eta^5\text{-}C_5Me_5)(Ph_2PCH_2CH_2PPh_2)]$ 95
K. Mauthner, K. Mereiter, R. Schmid, K. Kirchner (Vienna, Austria)

Copper(II) complexes of the antitumour-related ligand salicylaldehyde acetylhydrazone (H_2L) and the single-crystal X-ray structures of $[\{Cu(HL)H_2O\}_2]\cdot 2(NO_3)$ and $[\{Cu(HL)(pyridine)(NO_3)\}_2]$ 101
S.C. Chan, L.L. Koh, P.-H. Leung, J.D. Ranford, K.Y. Sim (Singapore, Singapore)

Chiral metal complexes
44. Enantiomeric discrimination in ternary cobalt(III) complexes of *N,N'*-dimethyl-*N,N'*-di(2-picolyl)-1*S*,2*S*-diaminocyclohexane and α-amino acids; including the crystal structure of the *S*-prolinato complex 109
R.R. Fenton, F.S. Stephens, R.S. Vagg (Sydney, NSW, Australia), P.A. Williams (Kingswood, NSW, Australia)

New copper(I) halide complexes with 2,2'-dipyridylamine and products of their autoxidation. X-ray diffraction structure of a triply-bridged μ-Cl–μ-$(OMe)_2$–dicopper(II) complex 117
N. Marsich, A. Camus (Trieste, Italy), F. Ugozzoli, A.M. Manotti Lanfredi (Parma, Italy)

The coordination chemistry of mixed pyridine–phenol ligands; syntheses and crystal structures of Mn(III) and Ni(II) complexes of 2-(2-hydroxyphenyl)pyridine 125
D.A. Bardwell, J.C. Jeffery, M.D. Ward (Bristol, UK)

Iron octaphenyltetraazaporphyrins: synthesis and characterization of the five-coordinate complexes of iron(III) ($XFe^{III}OPTAP$; X = F, Cl, Br, I, HSO_4) 131
P.A. Stuzhin, M. Hamdush (Ivanovo, Russia), U. Ziener (Tübingen, Germany)

Synthesis and characterization of a novel tetranuclear bimetallic complex containing rhodium(II) and zinc(II) as metal centres 141
M. Kubiak, T. Głowiak, M. Moszner, J.J. Ziółkowski (Wrocław, Poland), F. Asaro, G. Costa, G. Pellizer, C. Tavagnacco (Trieste, Italy)

Molecular structure and spectral properties of mono- and dinuclear complexes formed by manganese(II), 2,6-dimethoxybenzoate and 2,2'-bipyridine or 2-methylpyrazine 149
T. Glowiak, H. Kozlowski (Wrocław, Poland), L.S. Erre, G. Micera (Sassari, Italy)

Structure and mixed-valence states of the trinuclear iron(II,III,III) pivalate complex–pivalic acid adduct, $[Fe_3O(O_2CCMe_3)_6(Me_3CCO_2H)_3]$ (Me = $-CH_3$) 155
K. Asamaki, T. Nakamoto, S. Kawata, H. Sano, M. Katada, K. Endo (Tokyo, Japan)

Notes

Formation of a new ligand by addition of methanol to nitrosodicyanomethanide in the nickel(II) coordination sphere 163
M. Hvastijová, J. Kožíšek, J. Kohout, J. Garcia Díaz (Bratislava, Slovak Republic)

Synthesis and characterization of 15-molybdodiphosphate 167
S. Himeno, T. Kubo, A. Saito (Kobe, Japan), T. Hori (Kyoto, Japan)

Photooxidation of $Ru(bpy)(CN)_4^{2-}$ and $Ru(DMbpy)(CN)_4^{2-}$ 173
A. Ülveczky, A. Horváth (Veszprém, Hungary)

O-Methyl-dithio-/perthiooxalates — a ^{13}C NMR study 177
J. Piotraschke, P. Strauch (Leipzig, Germany)

Synthesis and crystal structure of a trinuclear nickel(0) complex with 1,4-bis(trimethylsilyl)-1,3-butadiyne in the monodentate and μ_2-η^2,η^2-bridging mode: $[Ni_3(tmsb)(cod)_3]$ 181
M. Maekawa, M. Munakata, T. Kuroda-Sowa, K. Hachiya (Osaka, Japan)

Helicity interchange in the cadmium(II), mercury(II) and lead(II) complexes of two isomeric pendant arm tetraaza macrocyclic ligands 185
A.K.W. Stephens, R. Dhillon, S.F. Lincoln, K.P. Wainwright (Adelaide, SA, Australia)

Equilibrium studies of selenite and selenate ions with the receptor complex formed by Cu^{2+} and 1,4,7,13,16,19-hexaaza-10,22-dioxacyclotetracosane (OBISDIEN) 189
M. Rivail da Silva (Talence, France), B. Szpoganicz (Florianópolis, SC, Brazil), M. Lamotte, O.F.X. Donard, F. Fages (Talence, France)

Synthesis, spectroscopic study and crystal structure of bis(4,6-dimethyl-2-thiopyrimidinium) tetrachlorozincatum(II) monohydrate and its solid state transformations 197
M.L. Godino-Salido, R. López-Garzón, M.D. Gutierrez-Valero (Jaén, Spain), J.M. Moreno (Granada, Spain)

Synthesis and characterization of cobalt(II), nickel(II) and zinc(II) complexes of a 14-membered *cis*-N_2S_2 dibenzo macrocycle with two pendant pyridylmethyl groups 203
N. Ehlers, R. Mattes (Münster, Germany)

Crystal structure of lead hydroxyapatite from powder X-ray diffraction data 209
S. Brückner (Udine, Italy), G. Lusvardi, L. Menabue, M. Saladini (Modena, Italy)

Erratum. 213

Conference Calendar 215

Author Index of Volume 236 219

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.